

		Safety Data She	
Wersia SECTION 1: Identification of the substance/preparation and of the company/undertaking 1.1. Product identifier I.1. Product identifier Trade name: LGMT 3 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended uses: Lubricant 1.3. Details of the supplier of the safety data sheet Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24))) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements Listen cause an allergic skin reaction.		LGMT 3	
1.1. Product identifier Trade name: LGMT 3 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended uses: Lubricant 1.3. Details of the supplier of the safety data sheet Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	Replaces date: 29/08/2019		Revision date: 21/02/20 Version: 3.1
Trade name: LGMT 3 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended uses: Lubricant 1.3. Details of the supplier of the safety data sheet Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 21. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	SECTION 1: Identification	of the substance/preparation and	d of the company/undertaking
1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended uses: Lubricant 1.3. Details of the supplier of the safety data sheet Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 21. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	1.1. Product identifier		
Recommended uses: Lubricant 1.3. Details of the supplier of the safety data sheet Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	Trade name:	LGMT 3	
1.3. Details of the supplier of the safety data sheet Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements Label elements	1.2. Relevant identified uses	of the substance or mixture and use	es advised against
Company: SKF MAINTENANCE PRODUCTS Address: P.O. Box 2350 Zip code: 3430 DT City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	Recommended uses:	Lubricant	
Address:P.O. Box 2350Zip code:3430 DTCity:NieuwegeinCountry:NETHERLANDSE-mail:sebastien.david@skf.comPhone:+31 306307200Homepage:www.skf.com1.4. Emergency Telephone NumberMembers of the public: 111 (NHS 111 (Scotland: NHS 24))SECTION 2: Hazards identification2.1. Classification of the substance or mixtureCLP-classification:Skin Sens. 1;H317Most serious harmful effects:May cause an allergic skin reaction.2.2. Label elements	1.3. Details of the supplier o	f the safety data sheet	
Zip code:3430 DTCity:NieuwegeinCountry:NETHERLANDSE-mail:sebastien.david@skf.comPhone:+31 306307200Homepage:www.skf.com1.4. Emergency Telephone NumberMembers of the public: 111 (NHS 111 (Scotland: NHS 24))SECTION 2: Hazards identification2.1. Classification of the substance or mixtureCLP-classification:Skin Sens. 1;H317Most serious harmful effects:May cause an allergic skin reaction.2.2. Label elements	Company:	SKF MAINTENANCE PRODUCTS	
City: Nieuwegein Country: NETHERLANDS E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	Address:	P.O. Box 2350	
Country:NETHERLANDSE-mail:sebastien.david@skf.comPhone:+31 306307200Homepage:www.skf.com1.4. Emergency Telephone NumberMembers of the public: 111 (NHS 111 (Scotland: NHS 24))SECTION 2: Hazards identification2.1. Classification of the substance or mixtureCLP-classification:Skin Sens. 1;H317Most serious harmful effects:May cause an allergic skin reaction.2.2. Label elements	Zip code:	3430 DT	
E-mail: sebastien.david@skf.com Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number	City:	Nieuwegein	
Phone: +31 306307200 Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	Country:	NETHERLANDS	
Homepage: www.skf.com 1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	E-mail:	sebastien.david@skf.com	
1.4. Emergency Telephone Number Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements			
Members of the public: 111 (NHS 111 (Scotland: NHS 24)) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	Homepage:	www.skf.com	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements Skin Sens. 1;H317	1.4. Emergency Telephone I	lumber	
2.1. Classification of the substance or mixture CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements Skin Sens. 1;H317	Members of the public: 111 (NHS	111 (Scotland: NHS 24))	
CLP-classification: Skin Sens. 1;H317 Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements Skin Sens. 1;H317	SECTION 2: Hazards iden	tification	
Most serious harmful effects: May cause an allergic skin reaction. 2.2. Label elements	2.1. Classification of the sub	estance or mixture	
2.2. Label elements	CLP-classification:	Skin Sens. 1;H317	
	Most serious harmful effects:	May cause an allergic skin reaction.	
Pictograms	2.2. Label elements		
	Pictograms		

Signal word: Contains	Warning
Substance:	Naphthenic acids, zinc salts, basic
H-phrases H317	May cause an allergic skin reaction.
P-phrases P280 P333+313	Wear protective gloves. If skin irritation or rash occurs: Get medical advice/attention.



LGMT 3

Replaces date: 29/08/2019

Revision date: 21/02/2020 Version: 3.1.0

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
Naphthenic acids, zinc salts, basic	84418-50-8	282-762-6	01-2119988500- 34	1 -< 5%		Skin Sens. 1;H317 Eye Irrit. 2;H319 Aquatic Chronic 3;H412

Please see section 16 for the full text of H-phrases.

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of discomfort.
Skin contact:	In case of irritation: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort.
Eye contact:	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing	Do not use water stream, as it may spread the fire.

media:

5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. Can generate harmful flue gases containing carbon monoxide in the event of fire.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.



LGMT 3

Replaces date: 29/08/2019

Revision date: 21/02/2020 Version: 3.1.0

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of eye splash. Wear gloves.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Do not store with the following: Strong oxidisers/ Strong acids/ Strong alkalis. Keep in tightly closed original packaging.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit:	Contains no substances subject to reporting requirements
Measuring methods:	Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.
Legal basis:	EH40/2005 Workplace exposure limits. Last amended January 2020.
8.2. Exposure controls	
Appropriate engineering controls:	Wear the personal protective equipment specified below.
Personal protective equipment, eye/face protection:	Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166.
Personal protective equipment, hand protection:	Wear gloves. Type of material and thickness: Nitrile rubber/ 0,38 mm. Penetration time: >8 hours. Gloves must conform to EN 374. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration
	2/0



	Safety Data Sheet	
	LGMT 3	
Replaces date: 29/08/2019	Revision date: 21/02/2020 Version: 3.1.0	
	of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.	
Personal protective equipment, respiratory protection:	Not required.	
· · · · · · · · · · · · · · · · · · ·	In case of risk of formation of spray mist, wear respiratory protective equipment with P2 filter. Respiratory protection must conform to one of the following standards: EN 136/140/145.	
Environmental exposure controls:	Ensure compliance with local regulations for emissions.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties

Parameter		Value/unit		
State	Paste / Fat.			
Colour	Yellow	Yellow		
Odour	Characteristic			
Solubility	Insoluble in the following: V	Vater.		
Explosive properties	No data			
Oxidising properties	No data			
Parameter	Value/unit	Remarks		
pH (solution for use)	No data			
pH (concentrate)	No data			
Melting point	> 180 °C			
Freezing point	No data			
Initial boiling point and boiling range	No data			
Flash Point	No data			
Evaporation rate	No data			
Flammability (solid, gas)	No data			
Flammability limits	No data			
Explosion limits	No data			
Vapour pressure	No data			
Vapour density	No data			
Relative density	No data			
Partition coefficient n-octonol/water	No data			
Auto-ignition temperature	No data			
Decomposition temperature	No data			
Viscosity	No data			
Odour threshold	No data			

9.2 Other information

Parameter	Value/unit	Remarks
Density	0,95 g/cm3	(15 °C)
NLGI	3	
	•	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers/ Strong acids/ Strong alkalis.



LGMT 3

Replaces date: 29/08/2019

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidisers/ Strong acids/ Strong alkalis.

10.6. Hazardous decomposition products

Can generate harmful flue gases containing carbon monoxide in the event of fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral:	The product does not have to be classified. Test data are not available. Ingestion may
	cause discomfort.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation

Naphthenic acids, zinc salts, basic, cas-no 84418-50-8

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	4h	> 42mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation:	The product does not have to be classified. Test data are not available. May cause slight irritation.
Serious eye damage/eye irritation:	The product does not have to be classified. Test data are not available. Temporary irritation.
Respiratory sensitisation or skin sensitisation:	May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing.
Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
Carcinogenic properties:	The product does not have to be classified. Test data are not available.
Reproductive toxicity:	The product does not have to be classified. Test data are not available.
Single STOT exposure:	The product does not have to be classified. Test data are not available.
Repeated STOT exposure:	The product does not have to be classified. Test data are not available.
Aspiration hazard:	The product does not have to be classified. Test data are not available.

Revision date: 21/02/2020 Version: 3.1.0



LGMT 3

Replaces date: 29/08/2019

Revision date: 21/02/2020 Version: 3.1.0

Other toxicological effects:

On warming/heating, the vapours emitted may cause irritation to the respiratory organs. May cause coughing and breathing difficulties.

SECTION 12: Ecological information

12.1. Toxicity

Naphthenic acids, zinc salts, basic, cas-no 84418-50-8

	· · ·	, ,	·	·			
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Name of species not specified		96hLC50	> 100mg/l		OECD 203	
	Name of species not specified		48hEC50	> 100mg/l		OECD 202	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. The product contains small quantities of environmentally hazardous substances.

12.2. Persistence and degradability

Naphthenic acids, zinc salts, basic, cas-no 84418-50-8

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Not readily biodegradable.	OECD 301 B	

Not expected to be biodegradable.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste:

EWC code: Depends on line of business and use, for instance 12 01 12* spent waxes and fats

Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter



LGMT 3

Replaces date: 29/08/2019

Revision date: 21/02/2020 Version: 3.1.0

materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

SECTION 14: Transport information

14.1. UN-No.: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

Not applicable.

Not applicable.

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 Special Provisions:
 Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product.

 Covered by:
 Council Directive (EC) on the protection of young people at work.

15.2. Chemical Safety Assessment

Other Information:

Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes	
3.1.0	21/02/2020	Bureau Veritas HSE/ SRU	3, 8, 16	
Abbreviations:	PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative STOT: Specific Target Organ Toxicity			
Other Information:	This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.			
Training advice:	A thorough knowledge of this safety data sheet should be a prerequisite condition.			
Classification method:	Calculation based on the hazards of the known components.			



Safety Data Sheet LGMT 3

Replaces date: 29/08/2019

Revision date: 21/02/2020 Version: 3.1.0

List of relevant H-statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Document language:

GB