

Enerpac, A Division of Actuant N86 W12500 Westbrook Crossing Menomonee Falls, WI 53051

Phone: (262) 293-1500 Fax: (262) 293-7040

SAFETY DATA SHEET Issue Date 11-Feb-2013 Revision Date 8-Jun-2015

This is our current SDS file. Any change(s) will result in an updated SDS file.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name HF Blue 150 Hydraulic

CM45885 HF104(Drums), HF 102 (Gallon Twin Packs), HF101 (Gallons), 3KD75 (Gallons), HF100

(Quarts), 3KD76 (Quarts)

Other means of identification

Product Code 159
Revision Number 2661
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.

Uses advised against No information available

# Details of the supplier of the safety data sheet

**Manufacturer Address** 

U.S. Lubricants A Division of U.S. Venture, Inc. 425 Better Way Appleton, WI 54915

Emergency telephone number

Company Phone Number 800-490-4900

**24 Hour Emergency Phone Number** 800-688-4005 DTCG84-01-A-900043

### 2. HAZARDS IDENTIFICATION

# Classification

Serious eye damage/eye irritation Category 2B

# Label elements

#### **Emergency Overview**

## Warning

### Hazard statements

Causes eye irritation

Appearance Viscous Physical state Liquid Odor Mild Petroleum

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing. If eye irritation persists: Get medical advice/attention

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

\_\_\_\_\_

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	90-99	*
Zinc alkyldithiophosphate	4259-15-8	< 1	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact If skin irritation persists, call a physician. Wash contaminated clothing before reuse. Wash

with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Get medical attention. Drink 1 or 2 glasses of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **UNUSUAL FIRE & EXPLOSION HAZARDS**

Toxic Fumes may be evolved on burning or exposure to heat. Pressure may increase in overheated closed containers. Store below 120°F

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas. Stop leak if you can do it without risk.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Soak up with inert absorbent material. Prevent product from entering drains. Pick up and

transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

fume/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep containers tightly closed in a dry, cool and well-ventilated

place. Store at temperatures not exceeding 120°F.

Incompatible materials Incompatible with oxidizing agents. Incompatible with strong acids and bases.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective nitrile or Neoprene™ gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Do not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous Odor Mild Petroleum

**Color** Blue **Odor threshold** No information available

Property Values Remarks • Method

pHEssentially NeutralMelting point/freezing pointNo information availableBoiling point / boiling rangeNo information available

Flash point 400°F

**Evaporation rate** Less than 0.01 (@1ATM and 25°C.

n-butyl acetate=1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 10% (Estimated Value) Lower flammability limit: 1% (Estimated Value) Vapor pressure Less than 0.01 mm HG Greater than 1 (Air=1) Vapor density Specific Gravity 0.850 lbs/gal: 7.11 Water solubility Insoluble in water Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity 30-34 cSt@ 40°C **Dynamic viscosity** No information available

Dynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) Negligible

Density No information available Bulk density No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not Applicable

## **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

#### Conditions to avoid

Strong oxidizing agents. Heat, flames and sparks.

# **Incompatible materials**

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause

irritation of respiratory system.

**Eye contact** Contact with eyes may cause irritation.

**Skin Contact** Prolonged contact may cause redness and irritation.

Ingestion Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities

may cause nausea and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc alkyldithiophosphate	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
4259-15-8			

### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.
Serious eye damage/eye irritation Irritating to eyes.

Irritation May cause skin and eve irritation, PROLONGED OR REPEATED CONTACT MAY DRY

SKIN AND CAUSE IRRITATION.

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	A2	Group 1		X
hydrotreated heavy paraffinic				
64742-54-7				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

### Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

## Ecotoxicity

Harmful to aquatic life with long lasting effects

0.17% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Zinc alkyldithiophosphate 4259-15-8	1.0 - 5.0: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.0 - 35.0: 96 h Pimephales promelas mg/L LC50 semi-static 1.0 - 5.0: 96 h Pimephales promelas mg/L LC50 static		1 - 1.5: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

\_\_\_\_\_

Chemical Name	Partition coefficient
Zinc alkyldithiophosphate	2.86
4259-15-8	

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	California Hazardous Waste Status
Zinc alkyldithiophosphate	Toxic
4259-15-8	

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

ICAO (air) Not regulated

IATA Not regulated

# 15. REGULATORY INFORMATION

International Inventories

**TSCA** All components of this material are on the US TSCA Inventory or are exempt.

**DSL/NDSL** All components are in compliance with the Canadian Environmental Protection Act and are

present on the Domestic Substances List.

EINECS/ELINCS

ENCS

IECSC

KECL

PICCS

AICS

Complies

Complies

Complies

Complies

Complies

Complies

Complies

Complies

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **REACH Compliance**

This product is not known to be hazardous per REACH 1907/2006, regulation 453/2010 and CLP 1272/2008

# US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	SARA 313 - Threshold Values %
Zinc alkyldithiophosphate - 4259-15-8	4259-15-8	1.0
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc alkyldithiophosphate 4259-15-8		X		

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc alkyldithiophosphate	X		X
4259-15-8			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

# 16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical Properties -

**HMIS** Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

Issue Date11-Feb-2013Revision Date8-Jun-2015

\_\_\_\_\_

159 HF Blue 150 Hydraulic

Revision Date 8-Jun-2015

### **Revision Note**

No information available

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**