

Revision Date 13-May-2020

SAFETY DATA SHEET

Version 6

1. IDENTIFICATION

Product identifier Product Name

65AR FLOWABLE SILICONE WINDSHIELD & GLASS SEALER 1.5 FO

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseSealantUses advised againstNo information available

81730

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2

Label elements

Emergency Overview

<u>Signal word</u> Warning

Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer



Appearance Clear

Physical state Paste Liquid

Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Not applicable

Other Information Not applicable.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
AMORPHOUS SILICA	7631-86-9	3 - 7
2-BUTANONE OXIME	96-29-7	0.5-2.0

4. FIRST AID MEASURES

Description of first aid measures

General advice

If symptoms persist, call a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

	persist, call a physician.
Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician.
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.
Self-protection of the first aider	Use personal protective equipment as required.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	May cause allergic skin reaction.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable extinguishing media Use, Use dry chemical, Carbon dioxid	de (CO2), Water spray (fog), Alcohol resistant foam
Unsuitable extinguishing media None	
Specific hazards arising from the c Keep product and empty container av	: <u>hemical</u> way from heat and sources of ignition. Risk of ignition.
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti	None.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precauti</u> As in any fire, wear self-contained bre	None. ons for firefighters
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions Environmental precautions	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See section 12 for additional ecological information.
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions Environmental precautions Environmental precautions	None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See section 12 for additional ecological information.

	containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep in a dry, cool and well-ventilated place. Protect from moisture. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.		
Incompatible materials	Strong oxidizing agents, Acids, Iron		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
AMORPHOUS SILICA 7631-86-9		TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m ³ <1% Crystalline silica TWA: 20 mppcf	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³
		: (80)/(% SiO2) mg/m ³ TWA	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Engineering Controls

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

0.1 Information on basis abysiss	Land chamical properties	
9.1. Information on basic physica Physical state	Paste Liquid	
Appearance	Clear	
Odor	Mild	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available Not	Polymerization
	Applicable	
Flash point	> 95 °C / > 203 °F	CC (closed cup)
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	<5 mm Hg @ 80°F	
Vapor density	3.0	Air = 1
Relative density	1.03	
Water solubility	No information available	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	<3%	
Density Denking in the second	No information available	
Bulk density	No information available	
SADT (self-accelerating	No information available	
decomposition temperature)		

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

Reactivity

No information available

<u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials Strong oxidizing agents, Acids, Iron

Hazardous Decomposition Products Carbon oxides

Nitrogen oxides (NOx)

Formaldehyde

May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of re-	May cause irritation of respiratory tract.			
Eye contact	Contact with eyes may ca	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.			
Skin contact	May cause skin irritation	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.			
Ingestion	Ingestion may cause irrita	Ingestion may cause irritation to mucous membranes.			
hemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
MORPHOUS SILICA	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h		

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
AMORPHOUS SILICA 7631-86-9	= 7900 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
2-BUTANONE OXIME 96-29-7	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4.83 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatio No informatio The table bel	n available.	n agency has listed any ing	redient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
AMORPHOUS SILICA 7631-86-9	-	Group 3	Known	Х
Not classifiable as a hum NTP (National Toxicolog Known - Known Carcinog	gy Program)		f Labor)	
Target Organ Effects	Eyes, Respira	atory system.		
The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 54503 mg/kg ATEmix (dermal) 47441 mg/kg ATEmix (inhalation-dust/mist) 9.2 mg/l				

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.21 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

81730 - 65AR FLOWABLE SILICONE WINDSHIELD & GLASS SEALER 1.5 FO

Chemical Name	Partition coefficient
2-BUTANONE OXIME	0.65
96-29-7	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION			
International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
EINECS/ELINCS	Complies		
ENCS	Complies		
IECSC	Complies		
KECL	Complies		
PICCS	Complies		
AICS	Complies		

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
AMORPHOUS SILICA 7631-86-9	*Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMORPHOUS SILICA	-	X	Х
7631-86-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 1	Instability 0
HMIS	Health hazards 2	Flammability 1	Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 13-May-2020

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet